The complete article index: 1997

This index lists all articles published by RF Design *in the past year. They are organized into major topic categories, and listed in chronological order within those categories. Past years are available on microfilm and microfiche from UMI at 800-521-0600 or 313-761-4741 (from outside the United States). Photocopies of back issues and of specific articles are available from UMI Information Store at 800-248-0360 or 415-433-5500 Ext. 282 (from outside the United States). Information Store will need the following information when ordering: ISSN number 0163-321x; Issue date; Article title; Article author; Page number. Questions and comments should be addresses to: RF Design, 5660 Greenwood Plaza Blvd., Suite 350, Englewood, CO 80111 or by e-mail at* rfdesign@intertec.com.

Amplifier design

"Linear 200 W RF Power Amplifier Uses V-MOS FETS," David Tomanek, May 1997, p. 38.

"Amplifier Allows High-bandwidth Active Filters," Debbie Brandenburg, May 1997, p. 44.

Antennas and propagation

"The Discpole Antenna," Rick Littlefield, May 1997, p. 74.

"Using the Path Loss Equation to Predict RF Link Performance," Cullen Tendick, November 1997, p. 46.

Circuit analysis

"Expanding Search Code Acquisition for GPS Receivers," J.S. Seybold, G.V. Fountain and M.A. Belkerdid, June 1997, p. 32.

Components

"MRI Basics and Coil Design Principles," David M. Peterson, G. Randy Duensing, Ph.D. and J.R. Fitzsimmons, Ph.D., January 1997, p. 56.

"Advances in Component Integration," Ernest Worthman, April 1997, p. 64.

"Understanding Distortion in GaAs MESFETs," Rob Howald, June 1997, p. 71.

Filter design

"Genetic Optimization Algorithms Create High-Performance, Fixed-Point Digital Filters," Carter Smith, April 1997, p. 46.

"Simplified Design of Lowpass and Highpass Active Filters," Antonio L. Eguizabal, June 1997, p. 60.

"Wideband Filters with Wide-Ranging Choices," Thomas R. Cuthbert Jr., Ph.D., P.E., July 1997, p. 48.

Frequency synthesis

"Designing Phase-Locked Loops," Grover H. Martin, May 1997, p. 56.

"Dealing with PLL-Generated Phase Noise," William O. Keese and Ian Thompson, August 1997, p. 42.

"N-over-M Frequency Synthesis," Dan Talbot, September 1997, p. 54.

"A Charge-Pump, PLL Model with Phase Noise and Phase Detector Dead Zone," Walter E. Thain Jr. and J. Alvin

High Quality ATTENUATORS

ACCURACY, PERFORMANCE, LOW COST, DELIVERY...



839 Manual Step Attenuator



4550 Programmable Attenuator

Manual Step Attenuators

837	50Ω	DC-1500MHz	0-102.5dB	.5dB Steps
839	50Ω	DC-2000MHz	0-101dB	1dB Steps
1/839	50Ω	DC-1000MHz	0-22.1dB	.1dB Steps
847	75Ω	DC-1000MHz	0-102.5dB	.5dB Steps
849	75Ω	DC-1500MHz	0-101dB	1dB Steps
1/849	75Ω	DC-500MHz	0-22.1dB	.1dB Steps
860	50Ω	DC-1500MHz	0-132dB	1dB Steps
865	600Ω	DC-1MHz	0-132dB	1dB Steps

Programmable Attenuators

4540	50Ω	DC-500MHz	0-130dB	10dB Steps
4550	50Ω	DC-500MHz	0-127dB	1dB Steps
1/4550	50Ω	DC-500MHz	0-16.5dB	.1dB Steps
4560	50Ω	DC-500MHz	0-31dB	1dB Steps
4580	50Ω	DC-500MHz	0-63dB	1dB Steps

For price list and FREE catalog, contact:

KAY

Kay Elemetrics Corp.
2 Bridgewater Lane, Lincoln Park, NJ 07035-1488 USA
Tel: (973) 628-6200 • Fax: (973) 628-6363
E-mail: sales@kayelem.mhs.compuserve.com
Web: www.kayelemetrics.com

The complete article index: 1997

This index lists all articles published by RF Design *in the past year. They are organized into major topic categories, and listed in chronological order within those categories. Past years are available on microfilm and microfiche from UMI at 800-521-0600 or 313-761-4741 (from outside the United States). Photocopies of back issues and of specific articles are available from UMI Information Store at 800-248-0360 or 415-433-5500 Ext. 282 (from outside the United States). Information Store will need the following information when ordering: ISSN number 0163-321x; Issue date; Article title; Article author; Page number. Questions and comments should be addresses to: RF Design, 5660 Greenwood Plaza Blvd., Suite 350, Englewood, CO 80111 or by e-mail at* rfdesign@intertec.com.

Amplifier design

"Linear 200 W RF Power Amplifier Uses V-MOS FETS," David Tomanek, May 1997, p. 38.

"Amplifier Allows High-bandwidth Active Filters," Debbie Brandenburg, May 1997, p. 44.

Antennas and propagation

"The Discpole Antenna," Rick Littlefield, May 1997, p. 74.

"Using the Path Loss Equation to Predict RF Link Performance," Cullen Tendick, November 1997, p. 46.

Circuit analysis

"Expanding Search Code Acquisition for GPS Receivers," J.S. Seybold, G.V. Fountain and M.A. Belkerdid, June 1997, p. 32.

Components

"MRI Basics and Coil Design Principles," David M. Peterson, G. Randy Duensing, Ph.D. and J.R. Fitzsimmons, Ph.D., January 1997, p. 56.

"Advances in Component Integration," Ernest Worthman, April 1997, p. 64.

"Understanding Distortion in GaAs MESFETs," Rob Howald, June 1997, p. 71.

Filter design

"Genetic Optimization Algorithms Create High-Performance, Fixed-Point Digital Filters," Carter Smith, April 1997, p. 46.

"Simplified Design of Lowpass and Highpass Active Filters," Antonio L. Eguizabal, June 1997, p. 60.

"Wideband Filters with Wide-Ranging Choices," Thomas R. Cuthbert Jr., Ph.D., P.E., July 1997, p. 48.

Frequency synthesis

"Designing Phase-Locked Loops," Grover H. Martin, May 1997, p. 56.

"Dealing with PLL-Generated Phase Noise," William O. Keese and Ian Thompson, August 1997, p. 42.

"N-over-M Frequency Synthesis," Dan Talbot, September 1997, p. 54.

"A Charge-Pump, PLL Model with Phase Noise and Phase Detector Dead Zone," Walter E. Thain Jr. and J. Alvin

High Quality ATTENUATORS

ACCURACY, PERFORMANCE, LOW COST, DELIVERY...



839 Manual Step Attenuator



4550 Programmable Attenuator

Manual Step Attenuators

837	50Ω	DC-1500MHz	0-102.5dB	.5dB Steps
839	50Ω	DC-2000MHz	0-101dB	1dB Steps
1/839	50Ω	DC-1000MHz	0-22.1dB	.1dB Steps
847	75Ω	DC-1000MHz	0-102.5dB	.5dB Steps
849	75Ω	DC-1500MHz	0-101dB	1dB Steps
1/849	75Ω	DC-500MHz	0-22.1dB	.1dB Steps
860	50Ω	DC-1500MHz	0-132dB	1dB Steps
865	600Ω	DC-1MHz	0-132dB	1dB Steps

Programmable Attenuators

4540	50Ω	DC-500MHz	0-130dB	10dB Steps
4550	50Ω	DC-500MHz	0-127dB	1dB Steps
1/4550	50Ω	DC-500MHz	0-16.5dB	.1dB Steps
4560	50Ω	DC-500MHz	0-31dB	1dB Steps
4580	50Ω	DC-500MHz	0-63dB	1dB Steps

For price list and FREE catalog, contact:

KAY

Kay Elemetrics Corp.
2 Bridgewater Lane, Lincoln Park, NJ 07035-1488 USA
Tel: (973) 628-6200 • Fax: (973) 628-6363
E-mail: sales@kayelem.mhs.compuserve.com
Web: www.kayelemetrics.com



Return Loss Bridges

Frequency: 1-500 MHz, 1-600 MHz, 1-1000 MHz, .03-30 MHz, etc.

Directivity: 40 dB to 55 dB

Fixed Impedance Bridges for Bench Test Measurements.

Variable Impedance Bridges for Measuring Coaxial Cable.

Impedance Converted Bridges for making measurements of one impedance with a system of the opposite impedance.

Wide Band Engineering Company, Inc.
Phone/Fax (602) 254-1570

INFO/CARD 94

Connelly, September 1997, p. 62.

General purpose software

"A Smith Chart Custom-control Software Program for Visual Basic," Viswanathan Iyer, February 1997, p. 46.

Industry insight

"PCS—Working to Make the Link," Ernest Worthman, January 1997, p. 44.

"Global Positioning Systems—Technology into the 21st Century," Ernest Worthman, March 1997, p. 44.

"CDPD Carries Data Over Cellular Voice Channels," Ernest Worthman, May 1997, p. 48.

"Silicon-germanium and the World of RF Design," Robert J. Zavrel Jr., June 1997, p. 46

"RFID—The Technology and Applications Behind Auto ID," Ernest Worthman, July 1997, p. 44.

"Direct Broadcast Satellites Find Niche in Consumer Electronics Market," Ernest Worthman, August 1997, p. 36.

"RF in Medicine—New Uses for an Old Technology," Ernest Worthman, September 1997, p. 32.

"A Primer on Digital Technology for Broadcasting: Digital Television," Ernest Worthman, November 1997, p. 32.

"Wireless LANs—Techniques, Standards and Technologies," Ernest Worthman, December 1997, p. 32.

Integrated circuits—general

"DSP Technology Optimizes Multichannel Digital Receivers," Toby Haynes, April 1997, p. 58.

"Transmitter-receiver Chipset for ISM," Dave Ramsperger, September 1997, p. 22.

Miscellaneous articles

"Devices and Techniques for Low-power Portable Devices," Sam Pritchett, September 1997, p. 38.

"A Moment With...Chuck Parrish, Executive Vice President, Unwired Planet," November 1997, p. 82.

"Winning Wireless Design," Yutaka Sato, December 1997, p. 52.

Mixers, multipliers and dividers

"RF and Microwave Mixers—a Tutorial," Roland K. Soohoo, March 1997, p. 56.



INFO/CARD 39

Stop Interference

Use the EMC Desk Reference Encyclopedia in your fight against problem interference.

NEW!
Order #3496
$90

The EMC Desk Reference Encyclopedia

A compendium of 3,000 EMC-related entries, this illustrated 384-page desk reference is for all professionals in the EMC field. *The EMC Encyclopedia* includes acronyms, case histories, definitions, formulas, mathematical models, organizations, products, regulations, services, and tutorials. By Don White. Hardbound, 386 pp. ISBN #0-932263-49-6.

Order #3496, $90

Call 800-543-7771 to order!

INTERTEC PUBLISHING
A K-111 MEDIA COMPANY

RFdesign

www.internettelephony.com

EMCQ97F

"Feedback Technique Improves Active Mixer Performance," Chris Trask, September 1997, p. 46.

Modulation/demodulation

"A High-accuracy I-Q Demodulator and Modulator," David I. Hoult, March 1997, p. 26.

"Signal Transposition and Reconstructive Technique," Alec Andrew Florey, May 1997, p. 71.

"Tutorial on All-digital Modulation Techniques," Tim Stroud, June 1997, p. 52.

Oscillator design

"Design Methods of Low-power Crystal Oscillators for Wireless Applications," Jose Luis Jimenez Martin and Francisco Javier Ortega Gonzalez, January 1997, p. 22.

"Design and Validation of Fault-tolerant, Synchronized Crystal Oscillators," T. Kien Truong, January 1997, p. 34.

"The Analogy of Quartz and Coaxial Resonators in an Oscillator Circuit," Wai-Tak P. Lee, February 1997, p. 72.

"A New Discourse on Crystal Oscillator Basics," Waitak P. Lee, Ph.D., April 1997, p. 69.

"Analysis of the Cascode Crystal Oscillator," Stanislaw Alechno, May 1997, p. 64.

"Understanding the Nitty-gritty of Oscillator Design," R. Partha, August 1997, p. 28.

Product Forum

"Manufacturers Look to Die Technology to Keep Up With RF Transistor Trends," January 1997, p.71.

"Oscillator Manufacturers Look to Smaller Packaging to Keep Up With Current Design Trends," February 1997, p. 77.

"Test Equipment Manufacturers Make Equipment Smaller, Faster," March 1997, p. 79.

"I&Q Modulators," April 1997, p. 79.

"Oscillators Features Improved, Size Reduced," August 1997, p. 52.

"Software," September 1997, p. 74.

"Connectors Become an Important Design Factor," November 1997, p. 54.

RF systems

"Digital Signal Processors in RF Systems," Cesar Benavente and Fernando Cruz, February 1997, p. 62.

RFI/EMC

"EMI Shielding Strategies—Proper Design and Attachment Options," Shane Hudak, December 1997, p.54.

Test and measurement

"Speed Characterization of Crystal Resonators," Naoya Izuchi, November 1997, p. 28.

Transmission lines/couplers

"RF Directional Couplers," Michael G. Ellis, Ph.D., February 1997, p. 30.

Transmitters/receivers

"Digital Receivers: The New Wave for Signal Analysis," Rodger H. Hosking, April 1997, p. 32.

"An Alternate Full-duplex Transceiver Architecture Based on Spatially Distributed Oscillators," Tom Warnagiris, July 1997, p. 32.

"Improving the Receiver Intercept Point Using Selectivity," Walid Y. Ali-Ahmad, Ph.D., December 1997, p. 22. *RF*

WORLD CLASS.



- *New* DC-2500 MHz Low Cost/High Performance series
- Solid-State, wide band models
- Models with frequency ranges up to 5Ghz
- GPIB controlled models available
- 50 and 75 ohm impedances available

JFW Industries, Inc.
5134 Commerce Square Drive • Indianapolis, Indiana 46237
Tele. (317) 887-1340 *Fax* (317) 881-6790
Internet– http://www.jfwindustries.com
E-mail– sales@jfwindustries.com
ISO 9001 Certified